AMENDMENTS TO THE CLAIMS

1. Canceled

2. (Currently Amended) A pharmaceutical composition for topical administration consisting essentially of a synergistic combination of a topically acceptable antiviral substance selected from the group consisting of acyclovir, cidofovir, desciclovir, famciclovir, ganciclovir, lobucavir, penciclovir, PMEA, valacyclovir, 2242, PAA, PFA and H2G or an ester, slat or solvate thereof and an anti-inflammatory glucocorticoid selected from the group consisting of alclometasone, amicinonide, beclomethasone, budesonide, ciclesonide, clobetasone, clocortolone, cloprednol, cortison, desonide, desoximethasone, dexamethasone, diflorosane, diflucortolone, difluprednate, fludrocortisone, fludroxycortid, flumethasone, flunisolide, fluocinolone acetonide, fluocinonide, fluocortin, fluocortolone, fluprednidene, fluticasone, halcinonide, halobetasol, halometasone, hydrocortisone, methylprednisolone, mometasone, paramethasone, prednisolone, prednicarbate, prednisone, prednylidene, rofleponide, tipredane and triamcinolone, and their esters, salts and solvates in a pharmaceutically acceptable carrier.

3. Canceled

- 4. (Currently Amended) The pharmaceutical composition according to claim 2, wherein the anti-inflammatory glucocorticoid is selected from the group consisting of hydrocortisone, alclometasone, desonide, flupednidene, flumethasone, hydrocortisone butyrate, clobetasone, triamcinolone, acetonide, betamethasone, budesonide, desoximethasone, diflorosane, flucinolone, fluocortolone, fluticasone, methylpednisolone, aceponate, mometasone and rofleponide or an ester, salt or solvate thereof.
- 5. (Currently Amended) The pharmaceutical composition according to claim 42, wherein the anti-viral substance is foscarnet and the anti-inflammoatory glucocorticoid is hydrocortisone, or an ester thereof.
- (Currently Amended) The pharmaceutical composition according to claim 42, wherein the antiviral substance is foscarnet and the anti-inflammatory glucocorticoid is budesonide, or an ester thereof.
- (Currently Amended) The pharmaceutical composition according to claim 42, wherein the antiviral substance is acyclovir, or an ester, salt or solvate thereof, and the anti-inflammatory glucocorticoid is hydrocortisone, or an ester thereof.
- 8. (Currently Amended) The pharmaceutical corriposition according to claim 5 comprising 0.1-10% (w/w) foscarnet and 0.005+3% (w/w) hydrocortisone.
- (Currently Amended) The pharmaceutical composition according to claim 8 comprising 1-5% (w/w) foscarnet.

- 10. (Currently Amended) The pharmaceutical composition according to claim 8 comprising 0.3-3% (w/w) foscarnet and 0.25-1% (w/w) hydrocortisone.
- 11. (Currently Amended) The pharmaceutical composition according to claim 6 comprising 0.1-10% (w/w) foscarnet and 0.005-3% (w/w)hydrocortisone.
- 12. (Currently Amended) The pharmaceutical composition according to claim 11 comprising 1-5% (w/w) foscarnet.
- 13. (Currently Amended) The pharmaceutical composition according to claim 7 comprising 0.1-10% (w/w) acyclovir and 0.005-3% (w/w) hydrocortisone.
- 14. (Currently Amended) The pharmaceutical composition according to claim 13 comprising 1-5% (w/w) acyclovir.
- 15. (Currently Amended) The pharmaceutical composition according to claim 14 comprising 0.25-1% (w/w) hydrocortisone.
- 16. (Currently Amended) A cream, lotion, gel, ointment, plaster, stick or pen containing a pharmaceutical composition according to any one of claims <u>1-152</u>, <u>4-15</u>.

17. Canceled

18. (Currently Amended) A method for treating hetpes virus infections of the skin or mucous membranes in mammals having or identified as being at risk of developing said infections comprising topically administration administering thereto, in combination or in sequence, efa therapeutic dose of a topically acceptable antiviral substance selected from the group consisting of acyclovir, cidofovir, desciclovir, famciclovir, ganciclovir, Idbucavir, penciclovir, PMEA, valacyclovir, 2242, PAA, PFA and H2G or an ester, slat or solvate thereof and an anti-inflammatory glucocorticoid selected from the group consisting of alclometasone, amicinonide, beclomethasone, budesonide, ciclesonide, clobetasone, clocortolone, cloprednol, cortisoni desonide, desoximethasone, dexamethasone, diflorosane, diflucortolone, difluprednate, fludrocortisone, fludroxycortid, flumethasone, flunisolide, fluocinolone acetonide, fluocinonide, fluocortin, fluocortolone, fluprednidene, fluticasone, halcinonide, halobetasol, halometasone, hydrocortisone, methylprednisolone, mometasone, paramethasone, prednisolone, prednicarbate, prednisone, prednylidene, rofleponide, tipredane and triamcinolone and their esters, salts and solvates in a pharmaceutically acceptable carrier.

19. Canceled

- 20. (Currently Amended) The method according to claim 18, wherein the antiinflammatory glucocorticoid is selected from the group consisting of
 hydrocortisone, alclometasone, desonide, flupednidene, flumethasone,
 hydrocortisone butyrate, clobetasone, triamcinolone, acetonide, <u>betamethasone</u>,
 budesonide, desoximethasone, diflorosane, flucinolone, fluocortolone,
 fluticasone, methylpednisolone, aceponate, mometasone and rofleponide or an
 ester, salt or solvate thereof.
- 21. (Currently Amended) The method according to claim 187, wherein the anti-viral substance is foscarnet and the anti-inflammatory glucocorticoid is hydrocortisone, or an ester thereof.
- 22. (Currently Amended) The method according to claim 187, wherein the antiviral substance is foscamet and the anti-inflammatory glucocorticoid is desonide, or an ester thereof.
- 23. (Currently Amended) A method according to claim 187, wherein the antiviral substance is acyclovir, or an ester, salt or solvate thereof, and the anti-inflammatry glucocorticoid is hydrocortisone, or an ester thereof.
- 24. (Currently Amended) A The method for the prophylaxis and/or treatment eftreating herpes_virus infections of the skin or mucous membranes in mammals having or identified as being at risk of developing said infections comprising topically administrationadministering thereto a therapeutic dose of a topically acceptable of acomposition according to any one of claims 1-152 and 4-15.
- 25. (Previously Presented) The method according to claim 24 wherein the composition is contained in a cream, lotion, gel, ointment, plaster, stick or pen.
- 26. (Currently Amended) A method according to any one of claims <u>47-2318</u> and <u>20-23</u>, wherein the herpes_virus infection is a recurrent herpes virus infection.
- 27. (Currently Amended) A method according to any one of claims <u>18 and 20-23-17-23</u>, wherein the antiviral substance and the glucocorticoid are administered 1 to 10 times per day.
- 28. (Previously Presented) The method according to claim 27, wherein the antiviral substance and the glucocorticoid are administered 3 to 4 times per day.
- 29. (Previously Presented) The method according to claim 26, wherein the antiviral substance and the glucocorticoid are administered 1 to 10 times per day.
- 30. (Previously Presented) The method according to claim 29, wherein the antiviral substance and the glucocorticoid are administered 3 to 4 times per day.

- 31. (Currently Amended) A method according to any one of claims 18 and 20-2317-23 wherein the antiviral substance and the gluc conticoid are administered in combination and are contained in a cream, lotion, gel, ointment, plaster, stick or pen.
- 32. (Currently Amended) The method according to claim 24, wherein said herpes virus infection is a recurrent herpes_virus infection.
- 33. (Previously Presented) The method according to claim 24, wherein the antiviral substance and the glucocorticoid are administered 1 to 10 times per day.
- 34. (Previously Presented) The method according to claim 33, wherein the antiviral substance and the glucocorticoid are administered 3 to 4 times per day.
- 35. (Previously Presented) The method according to claim 31, wherein the antiviral substance and the glucocorticoid are administered 1 to 10 times per day.
- 36. (Previously Presented) The method according to claim 35, wherein the antiviral substance and the glucocorticoid are administered 3 to 4 times per day.
- 37. (Currently Amended) The pharmaceutical composition according to claim 4-or2, wherein said glucocorticoid is hydrocortisone.
- 38. (Currently Amended) The method according to claims 17 or 18, wherein said glucocorticoid is hydrocortisone.
- 39. (Currently Amended) The pharmaceutical composition according to claim 1-er2, comprising 1-5% (w/w) acyclovir and 0.25-1% (w/w) hydrocortisone.
- 40. (Currently Amended) The method according to claim 4718, wherein said antiviral is acyclovir and said anti-inflammatory glucocorticoid is hydrocortisone, or an ester thereof.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. §§ 1.16 or 1.17; particularly, extension of time fees. Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

#47,604

vensson, #30,330

P.O. Box 747

Falls Church, VA 22040-0747

(714) 708-8555

(Rev. 02/12/2004)

I hereby Certify that this correspondence is being facsimile transmitted to the Patent and

Trademark Office:

LRS/SWG/sbp